

LIBRARY FURNITURE

H. C. PARKER, INC.

OFFICE, SCHOOL and LIBRARY SUPPLIES

336 CAMP ST. NEW ORLEANS 12, LA.

JA. 5-7365

JA. 5-7366

SJÖSTRÖM USA

Digitized by:



ASSOCIATION FOR PRESERVATION TECHNOLOGY www.apti.org

For the

BUILDING TECHNOLOGY HERITAGE LIBRARY

https://archive.org/details/buildingtechnologyheritagelibrary

From the collection of:



SOUTHEASTERN ARCHITECTURAL ARCHIVE SPECIAL COLLECTIONS HOWARD-TILTON MEMORIAL LIBRARY

http://seaa.tulane.edu

The John E. Sjöström Company takes

this opportunity to thank all those

Librarians, Architects and Educators

who, by giving us the benefit of their


experience and technical assistance,

made possible the development

of "New Life" Library Furniture.



JOHN E SJÖSTRÖM COMPANY . 1717 N. TENTH STREET . PHILADELPHIA 22, PA.



planning your library

Proper planning is of primary importance in adding to, renovating or building a new library. You, who are engaged in this activity, will find a great amount of satisfaction in guiding your ideas along the road to reality.

There are also many distracting details that should be avoided if you are to give full attention to supervising the operation. In this, John E. Sjöström Company can assist you.

The first step in planning usually involves the assembly of all types of information. Only you can determine your library traffic pattern, shelving needs, displays and charging and administrative requirements. You must summarize the services your library will render and future additions which may become necessary.

After you have assembled basic facts, make use of our LIFE LIKE Model Service. This exclusive NEW LIFE service makes use of scale models of all types of Sjöström library equipment. These models are arranged to meet your requirements, the arrangement is photographed, and a photo is supplied to you along with the usual draftsman's layout. The photo will show you how your future library will actually look.

At Sjöström's Imagineering
Department the miniature library is assembled in accordance with floor plan and needs, fram which the New Life "Click" phota is made and mounted.



/eu/je

library furniture

"... we must never, for a moment, forget that the single, most important factor in operating a successful business is the customer. In spite of any claims we may make, he alone is the final judge of our product's worth. By maintaining sufficiently high standards to merit his continued patronage and good-will, we assure our success. That is why, over the years, in good times and in bad, we have never compromised with quality. Nor can we ever—and expect to remain long in business."


by John E. Sjostrom, Founder

A desire to apply present day principles of functional design gave it style. A modern and complete plant provided its background. Skilled master craftsmen added their touch. And, a Librarian's chance remark, "It adds new life to my library," gave it a name.

Sjöström "New Life" Library Furniture combines beauty and grace with functional efficiency and sturdy construction to meet today's needs and provide for the future. From the day it is ordered until the day it is delivered, your "New Life" Furniture receives constant attention to insure that every piece is in accordance with the standards you desire. Even the most minute details of design, finish and assembly are constantly inspected to secure your final approval and satisfaction.

Pictured and described in this booklet are some of the many pieces of library furniture made available to you by Sjöström. Judge them by your own standards of quality—decide for yourself if they meet your requirements. Should you desire special types not indicated herein, let us know. Our designers will cooperate in giving you what you need.





Typical NEW LIFE libraries shown with ½-inch scale models

details of design and construction

Following are some general details of design and construction which apply to all of our library items. We suggest that you read these pages carefully. By so doing, we feel that you will not only obtain a good background for the pages which follow, but, in addition, you will be convinced that true craft is the strongest ingredient in Sjöström "New Life" Library Furniture.

Quality

All cabinet work is of the highest grade of fine woodwork known to the library furniture industry and the highest quality possible to obtain from a long established, thoroughly experienced, financially responsible firm having the skilled personnel and modern equipment necessary for the construction of furniture of the required character and durability.

Design

We will submit, where formal bid requires, a photograph, cut or sketch for the furniture listed in specifications. These illustrations are loaned to the prospective customer for the purpose of showing design, character and details of the equipment.

Materials

All lumber used in the construction of Sjöström library furniture is airdried on sticks to a moisture content of 17 to 20% or less, and is then kiln dried to a moisture content of 4½% to 5% and allowed to cool and temper for approximately 30 days before being milled. Kiln drying is done at the Sjöström plant to insure proper moisture control. Lumber grading is in accordance with the National Hardwood Lumber Association grading rules. Exterior surfaces are made of selected Northern hard maple, free of imperfections, and carefully matched for harmonious color. The interiors are hardwood, and sound throughout.

All plywood used is of water-resisting glue construction and is made in the thickness and number of plies specified. Plywood panels are used to fit design requirements of specific units. Exposed panels have face veneers to match adjacent woodwork. The interior panels, where used for divisions and inside ends, are clear and sound.

The linoleum, used on the tops of various units, consists of an especially prepared oxidized linseed oil base mixed with finely ground cork and required pigments and pressed to an especially smooth surface on flexible

cloth backing. The surface is treated to resist ink stains. The finished thickness is not less than .075" or more than .085" and weighs not less than 3.6 lbs. per square yard.

All hardware used is of a matched modern design, constructed to meet the specialized requirements of functional library equipment. The material used is non-corrosive and has a satin bronze finish.

Construction

The solid tops of Sjöström "New Life" Library Tables are constructed of selected hardwood with thicknesses as specified. The hardwood is assembled into a component unit by an electronic, high frequency, edge bonding process. The edges are beveled back $\frac{1}{2}$ " with the top edge rounded to $\frac{3}{16}$ " radius and the bottom edge rounded to $\frac{1}{8}$ " radius. Corners are rounded to $\frac{3}{4}$ " radius.


The linoleum tops are constructed of resin bonded plywood, faced with first grade desk top linoleum and securely cemented under pressure. The top edge banding matches the exterior woodwork and is not less than 2" wide, with edges shaped as mentioned under solid wood tops. The edge banding is securely fastened to the top with tongue and groove construction.

All of the joints in the charging desk base units and the case bodies of miscellaneous items are of rabbeted or tongue and groove construction, securely glued, screwed or pinned.

Sjöström shelving is of the demountable type with concealed bolts. The finished ends, intermediate ends, shelves, cornice tops, and bottoms are made of selected hardwood, assembled into a component unit by the electronic high frequency edge bonding process using hydraulic rams with predetermined pressure applied both horizontally and vertically to the stock.

Finish

All exposed wood surfaces are properly planed and thoroughly sanded to prepare them for finishing. A selected stain is wiped into the surface grain until penetration is complete and the surface is then rubbed clean so that no film of excess stain can remain to destroy the adherence of the finish coats. A coat of sealer is sprayed on all surfaces and exposed surfaces are sanded to prepare them for the first coat which is sprayed on all surfaces and allowed to set for at least 2 hours. All exposed surfaces are then subjected to a special wet sanding operation after which a second coat is applied and allowed to set for at least 4 hours before handling. The final finish is satin smooth, has sufficient elasticity to resist atmospheric changes, and is resistant to abrasion, water, and cleaning solutions. All finishing materials used are of highest quality. Samples of finished wood surfaces are gladly supplied upon request.



SECTION

1

library administrative units

Charging Desks


Sjöström Charging Desks are sectional in design—can be composed of any combination of the separate units illustrated on the following pages. A Librarian, therefore, can select just the right combination of units to meet individual requirements. In addition, the units can be rearranged as desired and other units added in the future should this become necessary.

Convenient and comfortable, the Sjöström desk is an office in itself. All units are designed to place cards and files at the Librarian's fingertips. To illustrate the maximum efficiency offered, we quote from a letter written to us by one librarian:

"Members of the staff had a hard time getting used to the convenience of the new desk—they have been so accustomed to running from one end of the desk to the other, that just staying in one spot and being able to reach everything needed is quite a drastic change for them."

Regarding construction, Sjöström Charging Desk Units are regularly built for a standing height of 39", but can be made for sitting height of 31" when desired. The tops are linoleum covered to provide a good working surface and maximum durability. All drawers are equipped with extension slides or metal keels. The slides are provided with composition rollers for smooth, quiet operation. The base has sanitary legs with aluminum leveler caps on the bottoms for ease in moving, rearranging or adding units. Closed bases also can be supplied if desired, however, this type is not as flexible.

The various units from which a desk can be made are described on the following pages.




Charging Desk Unils

Standard Specifications for Charging Desk Units call for top surfacing to be neutral gray desk top linoleum with beveled wood edge banding. All units are 26'' wide x 26'' deep x 39'' high overall except where otherwise noted. The front of all units, including the door of the poster compartment in the corner section, is finished in horizon-lined flush paneling. The units are mounted on tapered legs, $63'_8''$ high unless otherwise specified by the customer. Locks are keyed alike in each assembly.

Sjöström 31" sitting-height units are modified as noted in the description of each unit on this and the following page.

To order or refer to charging desk units with Micolor formica tops, use a prefix C before the number of the unit to which you are referring, as in No. C150 (indicating a Corner Unit with Micolor top).



No. 151, FINISHED ENDS. Finished ends are $25\frac{3}{4}$ " wide x $32\frac{5}{8}$ " high and are $1\frac{1}{8}$ " thick, with exposed vertical edges well raunded. They are applied to the exposed sides of the last units of chosen assemblies and are fastened with concealed fastenings. The ends are demountable to provide far expansion.

No. 152, STATION UNIT. The front of this unit is set in and sloped. The working side of the unit has a locked cash drawer with 4 coin cups and a 2 compartment bill tray. The general drawer with a pencil tray is 13'' wide x 17'/8'' long x 3'/2'' deep. An 8'' fixed shelf and a sloped rubber covered footrest are provided as shown. In the sitting-height units, the footrest and shelf are omitted.

No. 153, CHARGE UNIT, (WELL TYPE). The working side of this type unit has a tray well with a removable top and hinged front. Guides are provided under the tray well to receive the removable top, which can then be used as a tray rest. One adjustable shelf is provided in the open space within the unit. Trays can be provided as follows:


No. 153 A designates 6 trays with follower and track for book cards 3" wide.

Na. 153 B designates 8 trays with fallower and track for book cards 2" wide. In the sitting-height units, the adjustable shelf is amitted.

No. 154, CABINET UNIT. The working side of the cabinet unit has two adjustable shelves behind a pair of flush doors which are fitted with satin branze pulls and hinges. A lack is pravided. In the sitting-height units, one of the adjustable shelves is omitted.

No. 155, OPEN SHELVING UNIT. This is an "all around" unit which pravides easily accessible storage. Two shelves which are provided on the working side are adjustable on recessed clip strips. In the sitting-height units, one of the adjustable shelves is omitted.
















Na. 159, PHOTO CHARGING UNIT, 39" special width. Has well for microfilm recorder and two storage drawers.







No. 157, CHARGE UNIT, (DRAWER TYPE). The working side of this unit is equipped with a troy drawer mounted on extension slides ond one adjustable shelf in the open area below. Trays can be provided as follows:

No. 157 A designotes 5 trays with follower and trock for book cards 3" wide.

Na. 157 B designates 3 trays with follower and track for miscellaneous record cords 5" wide.

In the sitting-height units, the adjustable shelf is omitted.

Na. 158, STATION CHARGE UNIT, (WELL TYPE). This unit is provided with a tray well with a removable top and o hinged front. Trays con be provided as listed under the No. 153 unit. Guides are located under the tray well to receive the removable top. The base of the unit is on open knee spoce with a rubber covered footrest. The outside face is not recessed—is built flush with the other units. In the sitting-height units, the footrest and shelf are omitted.

No. 188, CHARGING DESK. This charging desk, illustrated and described on page 31 is ideal for libraries which do not require an expandable desk.

Available, But Not Illustrated

Na. 150 a, GATE UNIT. This gote unit is finished to match the outside of other Sjöström Charging Desk Units and is mode in a minimum width of 26" and a maximum of 36" including hanging stiles. It is 38" high overall. The gate can be single or double acting as required. A secret gate catch is supplied with the single acting type. For handling, the top edge is fully rounded.

No. 150 b, CONCEALED GATE. The No. 150 b Gate is similar in construction to the No. 150 o, however, it is single acting only, is 26" wide ond hos o lift top which motches the tops of the other units in on ossembly.


Na. 155T, BOOK TRUCK PORT. This unit has a book slot at the front fitted with a sloping shelf to shunt books into a No. 174d Depressable Book Truck (see page 20),





Charging Desks can be furnished with Flush Rubber Bases when desired.




Satin chrame legs with adjustable glides, an special request, at slight additional cast.











Stainless steel ferrules furnished an all round legs.



No. 291-15A CARD CATALOG FILE. This assembly includes a 15 drawer card catalog section for 3" x 5" cards and a No. 290g 2 drower legal-size woad file.



Above: Three types of pulls affered by Sjöström. At top, the No. 191-A Standard D-ring pull, label size 13/16" x 115/16". Center, the No. 191-B Two-compartment pull, label sizes 1" x 13/16" and 1" x 21/16". At bottom, the No. 191-C Two-compartment pull, label sizes 15/8" x 11/18" and 15/18" x 33/18".

Card Catalog Fites

No. 190a, CORNICE UNIT

No. 190b, 5 DRAWER UNIT

No. 190c, REFERENCE SHELF

No. 190d, 15 DRAWER UNIT

No. 290e, LOW BASE, 1734" high

No. 290f, HIGH BASE, 26" high

No. 290g, 2 DRAWER HORIZONTAL LEGAL FILE WITH LEG BASE

No. 190h, 10 DRAWER UNIT

Sjöström Card Catalog Files are sectional in design to allow for future expansion. The card trays are made to take a 3" high x 5" wide card or a 7.5 x 12.5 centimeter card.

A typical card catalog file, as shown in the drawing, consists of intermembering units all 33" wide x 17" deep. The standard units are as follows: a low or high leg base; a sliding reference shelf unit; a card catalog drawer unit; and a cornice unit to finish the top of the file.

Standard card catalog drawer units are made in 5 and 15 drawer sections. Other non-intermembering units are made with 4, 6, 9, and 12 drawers. A standard 60 drawer unit is also manufactured. Other types can be made on special order.

No. 291-15R, JUVENILE CARD CATALOG AND STORAGE UNIT. This juvenile unit is 54'' long x 17'' wide x 33" high. The card catalog section has 15 drowers for 3" x 5" cards. Eoch drower is supplied complete with lobel holder, pull, follower, track and snap lock rod. An Atlos starage case is pravided at the side.





No. 291-30, 30 DRAWER CARD CATALOG FILE. This file is 33" wide x 17" deep x $48\frac{3}{4}$ " high ond hos o low leg bose. The cord cotalog section hos 30 drowers, completely furnished, for 3" x 5" cords.




No. 191-60, 60 DRAWER CATALOG CARD UNIT, 40" wide x 17" deep x 60" high.



Non-intermembering units have tops, ends, and bottoms made of solid wood with all exposed edges and corners rounded to ½" radius. The backs are of plywood with face veneers to match adjacent woodwork.


No. 191-6, 6 DRAWER CATALOG CARD CASE, 13%" x 17" deep x 13%" high.



No. 191-2, 2 DRAWER CATALOG CARD CASE, 13%" wide x 17" deep x 4%" high.



No. 191-4, 4 TRAY CATALOG CARD CASE, 13%" wide x 17" deep x 91/4" high.



No. 191-9, 9 TRAY CATALOG CARD CASE, 20" wide x 17" deep x 13%" high.



No. 191-12, 12 TRAY CATALOG CARD CASE, 20" wide x 17" deep x 17" high.



Auxiliary Administrative Units

Sjöström Auxiliary Administrative Units, which include the Librarian's desk and charge truck, were designed to eliminate needless effort on the part of the Librarian. It was only after many Librarians had been interviewed regarding their needs that the units as shown were agreed upon. These units, therefore, are as practical as careful consideration and thorough investigation can make them.



Na. 183, CHARGE TRUCK. This mobile charging cord truck is 30" lang x 24%" wide x 39" high. It is equipped with castors far ease in moving from place to place. The linoleum covered top is removable and, when removed, is stored on slides in o space provided beneath the troy compartment. It can be used there as a reference shelf. The tray campartment contains 6 troys for 5" x 3" cords. A 12" wide drop-leof shelf is provided of the side af this unit.

Na. 182, LIBRARIAN'S DESK. This beoutiful and functional desk is 60" long x 30" wide x 30" high. The top is 114" thick ond is linoleum covered os shown in the illustration.

The body of the desk consists of 2 flush poneled pedestals approximately 171/2" wide x 25" deep and 22" high. The left pedestol has a reference shelf of the top and 2 drowers. The top drawer is 6" high ond 17" long and is equipped with 4 removable troys for 5" x 3" cards filed on the 3" edge. Each troy is equipped with a fallower and has o felt protected bottom. The lower drawer is o file drawer and is equipped with steel bors which con be adjusted to accommodate letter or legal size honging folders.

The right pedestal also has a reference shelf ot the top, a drower and an open book compartment. The drower is 6" high and 17" lang. It is equipped with 2 removable dividers spaced on equal distance apart. The apen book compartment is 11" high and runs the full depth of the pedestal.

All pedestal drawers are equipped with satin branze bor pull with conceoled fosteners. The knee space between the pedestal is 22" in width and hos o drower at the top. This drawer measures approximately 4" high and 17" long and is equipped with a pencil troy. The knee space is clased with an inset flush panel of the front of the desk. The desk has 4 turned and tapered legs which ore approximotely 61/4" high and equipped with levelers. No. 186, CONFERENCE DESK. This unit is 76" long x 39" wide with desk height adjustable from 29" to 30½". The right pedestol has 3 drawers with removable partitions. The left pedestal is furnished with a double depth file drawer and one single depth drawer. Reference shelf is provided at top of eoch pedestal. A center drower with pencil and clip tray is fitted aver kneespoce.



No. 185, SECRETARIAL DESK. This desk is 58" long x 30" wide ond is odjustable in height from 29" to 30½". The left pedestal has a reference shelf and 3 drawers eoch of which are about 5" high. The right pedestal has a typewriter shelf attachment and a door which is designed ta match the drawers on the oppasite pedestal. A center drawer with pencil ond clip tray is provided as shown.





No. 184, OFFICE DESK. This clerical desk is similar to the secretarial desk. The right pedestal has a reference shelf and 3 drawers. The left pedestal is furnished with a reference shelf, a 3" high drawer with sliding utility tray and a double depth file drawer. A center drawer with pencil and clip tray is pravided as shown.

Office Furniture

Practically all of the items necessary for an efficient library office can be supplied by John E. Sjöström Company. However, since library office requirements vary according to the size and capacity of the library, no attempt has been made to illustrate items other than several desks, a typical file case and waste basket and one of several varieties of work room units.

After you have had an opportunity to evaluate your requirements, we recommend that you contact us. The information we obtain from you will then be given to our planning department which will recommend equipment to meet your needs.

No. 185a, STEEL TYPING STAND. The top proper is $16^{\prime\prime}$ x $18^{\prime\prime}$ and each drop leaf measures $16^{\prime\prime}$ x $9^{\prime\prime}$. The stand is $27^{\prime\prime}$ high.



No. 187, WORK ROOM UNIT. The work room ossembly, illustrated, shows 2 upper cabinets measuring 35" wide x 12" deep x 24" high and 2 base units, 35" long x 36" high x 25" deep. The overall assembly with the upper cabinets on the wall makes a complete unit 6' long x 25" deep x 7' high. Wall cabinets are hung 24" above the work top. In referring to the base units, the ane under the sink is termed a "sink unit" while the other is a "drawer unit." The unit has a plastic work tap.

No. 192w, 4 DRAWER WOOD LEGAL FILE. This file meosures 191/2" wide x 28" deep x 511/2" high. The letter size measures 161/2" wide x 28" deep x 511/2" high. The three drower legol and letter sizes are 39" high, while the other dimensions are the some as the legal ond letter size, four drawer files noted above. When used in series, the sides of the files need only be finished on the exposed ends. When used separately, or if desired, bath sides can be pravided with finished surfaces similar in quality of finish to ather "New Life" exposed surfaces. Identifying numbers of wood files and a description ond identifying number of steel files, also available, are shown in the bax.



Standard "New Life" Wood Files

No. 192w, 4 DRAWER LEGAL FILE

No. 193w, 4DRAWER LETTER FILE

No. 194w, 3 DRAWER LEGAL FILE

No. 195w, 3 DRAWER LETTER FILE

No. 196w, 2 DRAWER LEGAL FILE

No. 197w, 2 DRAWER LETTER FILE

Standard Sjöström Steel Files

No. 192, 4 DRAWER LEGAL FILE

No. 193, 4 DRAWER LETTER FILE

No. 194, 3 DRAWER LEGAL FILE

No. 195, 3 DRAWER LETTER FILE

No. 196, 2 DRAWER LEGAL FILE


No. 197, 2 DRAWER LETTER FILE

No. 180, WASTEBASKET. Designed in the "New Life" style, this wastebasket measures 13" x 13" and is 15" high. It is canstructed af steel with a neutral gray, baked enomel finish, with black rubber corners and feet.



section 2





This LIFE LIKE Model photo shows typical arrangements of Sjöström library shelving.

No. 120 Initial Unit and No. 121 Additional Unit Combined

library shelving

Sjöström Sectional Library Shelving can be erected in any length and any combination of sectional assemblies desired. It can be added to or rearranged. Three standard heights are available: 6'-10", high shelving; 5'-0½", medium height; and 3'-6", low or counter height shelving. All shelving is made in three depths, 8", 10" and 12".

An initial unit of standard shelving consists of two finished ends, top, base and one set of adjustable shelves. An additional unit consists of one intermediate end, top, base and one set of adjustable shelves. Only one intermediate end is provided with the additional units, since these units are designed for use with an initial unit. The bottom shelf of each unit is slightly inclined to permit the reading of book titles without kneeling. Sections are 3'-0" center to center, allowing 35" of clear space between uprights.



are joined.



No. 126 Initial and No. 127 Additional Unit



All finished ends used on Sjöström Shelving are made in the standard height and depth required and are 1" in finished thickness. Outside front and top edges are rounded to $\frac{1}{2}$ " radius and all other exposed edges and corners are rounded. The inside face is fitted with recessed aluminum clip strips to permit shelf adjustment on $\frac{1}{2}$ " centers, and these strips have alternate slots numbered for aligning the shelf clips. Intermediate ends are fitted on both faces with shelf adjustment strips, and the $\frac{1}{2}$ " radius is omitted.

Cornice units are 35" in length by the standard depth required and are $2\frac{1}{2}$ " high. This unit consists of a top and cornice rail assembled with two bolting cleats tongued into the cornice rail. The joint at the cornice rail and top is flush, and exposed edges are rounded to $\frac{1}{8}$ " radius. Four connector bolts are provided with each cornice unit.

The base unit measures 35'' in length x standard depth required x 43'' in height. The unit consists of a removable bottom shelf mounted on a sloped frame 4'' high at the front. The bottom shelf overhangs the base frame at front approximately 2'' and has a 10° slope toward the back. Exposed corners are rounded to 1'' radius and edges to $\frac{1}{8}''$ radius. The unit is provided with four connector bolts. This shelf is fitted with a skid strip to prevent books from sliding back.

Adjustable shelves are $34\ 15/16''$ in length x standard depth. The shelves have hardwood lipping on front not less than 1'' wide and grooved on underside for standard label holders. Exposed edges are rounded to $\frac{1}{8}''$ radius. Four clip seats are routed in the under side and each shelf is furnished with four cadmium plated metal clips.

All shelving units can be provided with dividers for picture book and record storage. When specified, flush ply panel backs, 3/8" in thickness, can be furnished for all units at additional cost.

Standard Sjostrom Shelving Units

HIGH SHELVING, 6'-10" HIGH, 36" WIDTH, SIX SHELVES, BOOK CAPACITY APPROXIMATELY 150 PER 3'-0" SECTION.

No. 120, initial unit, 8" deep
No. 121, additional unit, 8" deep
No. 122, initial unit, 10" deep
No. 124, initial unit, 12" deep
No. 125, additional unit, 12" deep

MEDIUM HEIGHT SHELVING, 5'-01/2" HIGH, 36" WIDTH, FOUR SHELVES BOOK CAPACITY APPROXIMATELY 105 PER 3'-0" SECTION.

No. 126, initial unit, 8" deep
No. 128, initial unit, 10" deep
No. 130, initial unit, 12" deep
No. 131, odditional unit, 12" deep

COUNTER HEIGHT SHELVING, 3'-6" HIGH, 36" WIDTH, TWO SHELVES, BOOK CAPACITY APPROXIMATELY 65 PER 3'-0" SECTION.

No. 140, initial unit, 8" deep
No. 141, additional unit, 8" deep
No. 142, initial unit, 10" deep
No. 144, initial unit, 12" deep
No. 145, additional unit, 12" deep

No. 140 Initial and No. 141 Additional Unit

Library Shelving Inserts

Sjöström Shelving Inserts can be used with both high and medium height, but not with counter height, shelving. Standard inserts are lettered A to D inclusive and are designated, when ordering, by adding the letter of the insert desired to the number of the shelving unit for which the insert is required, for example No. 124-B.

Standard inserts include the following:

A—**BULLETIN BOARD.** This unit is 35'' in width ond $21\frac{1}{2}''$ in height. It consists of a selected maple frome with a cark ponel mounted on a praper backing. The bulletin board is designed os o lift door on the type shelving unit desired.


B—PAIR GLAZED DOORS. These doors meosure $6'-2\frac{5}{2}$ " in height \times 35" in width \times 1½" in thickness, and are used with units 10" and 12" deep. They ore glozed with double thick glass ond fitted with pulls, lock and three poirs af hinges. When equipped with doors, the shelving unit hos o ponel bock ond flat battom shelf.

C—MAGAZINE INSERT WITH BULLETIN BOARD (For $12^{\prime\prime\prime}$ depth anly). The bulletin board used with this insert is described above. The magazine port of the insert consists of faur sloped magazine shelves with three stondord adjustable flat shelves located underneath for holding bock issues of magazines. The base unit acts as a shelf far the bottom magazine shelf. The slaped magozine shelves are $34~15/16^{\prime\prime}$ long x $13\%^{\prime\prime}$ wide. Constructed of hardwood to match the shelving exterior, they each have a retaining ledge at the front which extends $34^{\prime\prime\prime}$ obove the shelf.

D—NEWSPAPER INSERT WITH BULLETIN BOARD (For 12" depth only). The bulletin baord at the top is described above. The newspaper insert consists af two shaped woad strips 1" in thickness, canstructed of hardwood and notched to receive eight newspaper display rods. The strips are furnished with screws for securely maunting in designated pasition. The insert is complete with 8 removable display rads.

When specified, flush ply panel backs, 3/8" in thickness, can be furnished for all units at additional cast.





C

A Typical Combination of Sjöström Shelving Inserts Showing Letter Designations.



No. D-140 and No. D-141

Double Shelving Units

DOUBLE SHELVING, os illustrated at left, is available in high, medium and counter height styles in dauble the depths nated on page 16. The counter height double shelving shown consists af a No. D-140 initial unit and a No. D-141 additional unit ond conforms to counter height dimensions on page 16 except in depth which is 16" or twice the depth of o standard 8" unit. All double shelving is identified by prefixing "D" to the number of the shelving style desired (os D-140).

RECORD AND PICTURE BOOK SHELVING, SEE PAGE 30.

Miscellaneous Display Units and Accessories



No. 270a, TABLE TYPE NEWSPAPER RACK. This rack is 43" long x 26" wide x 30" high. It holds 10 newspaper display rods which are supplied with the rack.

No. 271, MAGAZINE RACK. Measuring 38" wide x 15" deep x 49" high, this unit has six sloped display shelves of varied heights. It is panel backed and holds about 22 magazines.



In addition to a complete line of standard shelving units and inserts, Sjöström manufactures a wide assortment of storage shelves, book trucks, atlas and dictionary stands, periodical racks and shelving accessories such as bulletin boards and stools. These items follow the "New Life" functional design and are constructed and finished as discussed before. Please also bear in mind that, although we have tried to illustrate or describe most available items, we cannot show all of the variations which are possible. Therefore, should you have need of a particular type of unit not shown, contact us. Our design engineers will make every effort to fill your requirements.



No. 272A, MAGAZINE RACK. This unit measures 48" wide x 20½" deep x 60½" high and has seven sloped display shelves. It is equipped with 35 adjustable magazine holders. The back is paneled and it has flush ends.

No. 272, MAGAZINE RACK. This magazine rack is the same as Na. 272A but without the adjustable magazine halders.



No. 181, REVOLVING DICTIONARY STAND. This unit is 21" wide x 14" deep x 5" high. The top is sloped to 134" in height at the front. The edges of the top are moulded ond have the corners rounded to 34" rodius. A retoining strip at the front holds the dictionary from sliding. The stand revolves on a circular base 11½" in diameter. The bose has a felt covered bottom.

Na. 276, ATLAS CASE. Measuring 30" in width x 27" in depth x 44" in overall height, this case has a turned, splayed leg base 16" high, flush ends and panel back and five pull out shelves with 3" of clear space between. Each shelf has an area measuring about 24" x 25".

Na. 169, FREE STANDING BUL-LETIN BOARD. This unit measures $26\frac{1}{2}$ " wide x $25\frac{5}{8}$ " deep x $67\frac{1}{2}$ " high, overall. The double faced bulletin boord section is 24" wide x 29" high and has a cork posting surface 21" x 26" on both faces. The frame is sturdily constructed and is designed to prevent tipping.

Na. 275, DICTIONARY STAND. This stand is 22" wide x 16" deep x 44" high, overall. The front edge of the top is 42" high and has a retaining strip. The body of the stand consists of a turned, splayed leg base 16" high, flush ends, panel back, bottom and one adjustable shelf.



The "PROTECTILE" leveling glide is used on Sjöström furniture legs for leveling.

Available, But Not Illustrated

Na. 169-10, WALL TYPE BUL-LETIN BOARD. This boord measures 32" in width x 38" in overall height. It hos a posting size of 28" x 34", a mitered frome 2" x 13/16" thick, a plywood back, and a 1/4" cork surfoce on one side.



Na. 277, NEW-BOOK DISPLAY. This unit is 42" long x 29" wide x 50" high including cork tack board. Book troughs are 34" from floor. Unit is double face, and designed to take larger than overage books. The turned legs are fitted with stainless steel ferrules ond leveling glides at floor.





No.174a, BOOK TRUCK WITH SLOPED SHELVES.

This truck is 32" long x 16" wide x 43" high, overall. The upper shelf units consist of shelf pieces which slope inward on two sides of sloped lateral rails. This permits angle display of books on two sides. Otherwise, the unit is similar to the No. 173 type trucks. Bumpers provided on bottom shelf at additional cost.

Na. 174d, DEPRESSABLE BOOK TRUCK. This unit is 32" high at the back x 28" high in the front and at the sides. The body of the truck is 22" square. The depressable top is covered with gray linoleum, is 20%" square, and is set 2" below the rim. This depresses as books are placed in the truck. Casters are similar to the No. 173. Construction is such that the unit can fit into a compartment at the rear of the charging desk. Bumpers and kick plate provided at additional cost.




No. 173, BOOK TRUCK (SMALL) AND No. 174, BOOK TRUCK (LARGE). The smoll truck is 30" long x 14" wide x 35" high. It has 2 shelves and o bottom, all secured into the flush ends. Two swivel and 2 stationary yoke costers with durable rubber treads are provided for quiet operation. The large truck is 40" long x 14" wide x 42" high and is similar in construction to the small truck.

Rubber bumpers can be provided at eoch corner of the flush ends and olong the bottom shelf at additional



Na. 178, PORTABLE DISPLAY RACK. The ends of this unit are fitted with felt discs on the bottom edges. A tilted trough is set between the shaped ends. Two spring clips for holding posters ore provided. The unit is 24" wide x 1034" deep x 8½" high.



Na. 179a, STEP STOOL. This stool is 1 15" wide x 16½" deep x 15" high, and has two steps. All edges and corners are well-rounded. It is sturdily constructed but light in weight for easy handling.





No. 173s, STEEL BOOK TRUCK. This unit is 36" long x 14%" wide x 35" high. Truck hos two book shelves and is fitted with four swivel rubber tread casters. Groy boked enamel finish.






Sjöström "New Life" Library Tables blend with and complement the design of the other library units. Beautifully finished to bring out the natural grain, they are constructed to give long service.

Three styles are available — the 200 Freeline series with machine turned, splayed legs; the S-200 Freeline square leg series; and the 100 series.


Both the 200 Freeline styles are apronless — utilize a construction method by which lcgs, ribs, and keels are anchored directly to the top. Series 100 tables have aprons and square legs which are shaped on the inside faces.

First in the library furniture field to do so, Sjöström offcrs library tables in four basic Micolor (Formica) colors—flame, aqua, pumpkin, sprout green—and in other colors if you desire them. Micolor tables are designated by prefixing the letter C before the table number, e.g., C213 Table. For Freeline Tables with Micolor tops, see page 24.



Freeline library tables have taps made af selected Northern hard rack white maple, high frequency electronically edge banded of strips nat aver 5" wide. The taps have beveled edges, well raunded and finished. Legs are fitted with steel mounting plate at tap, permanently fastened ta leg with machine balt engaging concealed steel bushing. Legs, ribs and keel are attached to top with tamper praof machine screws inta cancealed metal expansian anchors permanently set in tap. Shakeproaf washers are used an machine screws holding legs. Splayed legs have a 5" high stainless steel ferrule at floor. Bath leg types are equipped with adjustable 2" diameter nan-marring glides.

*The 200 series tables are available in juvenile heights from 25" ta 28". Specify height required when ardering.




No. 213, FREELINE LIBRARY TABLE. The No. 213 is 10'-0'' long x 42'' wide x $29\frac{1}{4}''$ high, with $1\frac{1}{2}''$ thick top. This unit is a university type, seats eight, is well suited for formal arrangement of large reading raams.



Na. 214, ROUND FREELINE TABLE. This type is 4'-2" diameter x 29" high with $1\frac{1}{4}$ " thick top. The 214 seats four, for informal arrangements.

Na. 214a, JUVENILE TABLE, 42" in diameter x 26" high, is also available.





Tap area for ingividual study.

Na. 216s, FREELINE TABLE CARREL. This carrel is the same as the 216 Study Toble except it is fitted with a book shelf assembly 2034" high with shelf 12" abave tap.



Study Tables

Square Leg Reading Tables

Sjöström Square Leg Freeline Tables are apronless, have tops similar in construction to the round-legged Freeline tables previously described. On this table, the legs are square, splayed, and are tapered on the two inside faces toward the leg bottom. The base of each leg is fitted with an adjustable, non-marring glide, 2" in diameter.



No. S-210, FREELINE SQUARE LEG LIBRARY TABLE. This table is similar in construction and dimensions to the No. 210 toble. The legs are square and taper on the twa inside foces from 25%" square at the top ta 13%" square at the bottam. The autside edges of the legs are rounded.



Available, But Not Illustrated

Na. S-212, FREELINE SQUARE LEG LIBRARY TABLE. Except for the legs, this table is similar in construction and dimensions to the No. 212.

No. S-213, FREELINE SQUARE LEG LIBRARY TABLE. Except far the legs, this toble is similar in construction and dimensions to the Na. 213.

Na. S-214, ROUND FREELINE SQUARE LEG LIBRARY TABLE. Except for the legs, this table is similar in canstruction and dimensions to the Na. 214.

No. S-214a, FREELINE SQUARE LEG JUVENILE LIBRARY TABLE. Except for the legs, this table is similar in construction and dimensions to the No. 214a.

Na. S-216, FREELINE SQUARE LEG STUDY TABLE. Except far the legs, this table is similar in canstruction and dimensions to the No. 216.

Na. S-216s, FREELINE SQUARE LEG TABLE CARREL. Except for the legs, this table is similor in construction and dimensions to the Na. 216s Correl.

SLOPED TOP TABLES

Sloped top tables in the 200 and S-200 Series are ovailable and correspond in numbers to those an page 29.







No. C210 MICOLOR RECTANGULAR READING TABLE. This toble is 60'' long x 36'' wide x 29'' high ond accommodates 4 readers.

No. C212 MICOLOR RECTANGULAR READING TABLE. This toble is 90" long x 36" wide x 29" high. Constructed similar to the C210, this toble will occommodate 6 persons.

Micolor Library Tables

To the Series 200 FREELINE opronless toble, Sjöström odded on extro touch—color. Sjöström MICOLOR tops are specially constructed and are topped with surface-seoled sotin Formica in four bosic colors—sprout green, oqua, flome, pumpkin—or in your choice of o wide variety of other colors.

The MICOLOR toble is not only o clossic in beouty, it is classic in construction. Toble edges ore specially molded to protect chair backs. Legs are rounded and sployed and ore mounted to the toble top by steel mounting plotes, machine bolts, and concealed steel bushings. Legs have stainless steel ferrules and odjustable "Protectile" glides.

No. C216, MICOLOR STUDY TABLE. This unit is 39" long x 27" wide x 33" high including the 4" high retoining curb of the rear of the top. This study table is intended for individual use.

Available, But Not Illustrated

No. C213, MICOLOR READING TABLE. This toble is similar to the No. C212 Toble except that it is 10'-0" long x 42" wide x 29" high.

No. C214a, ROUND JUVENILE MI-COLOR TABLE. The juvenile type round toble is similor to the C214 toble but is 42" diom. x 26" high.

No. C216s, TABLE CARREL 39" x 27" x 28 34" high, with book shelf ossembly 20 34" high.

No. C217 and C217a MICOLOR Sloped Top Tables (see page 29)

No. C214, ROUND MICOLOR TABLE. This toble seots 4 persons. It is 48" in diometer x 29" high.

24





Ng. 264 READING CHAIR





Library Chairs

Sjöström Library Chairs are available with strate or splayed legs in a sufficient variety of types and styles to meet every library requirement. Some of these types are illustrated on this and the following page.

In construction, seats are comfortably scooped and the back posts are steam bent and correctly shaped. On strate leg chairs, the front legs are tapered and have the front corners rounded and the skirting is assembled flush with seat edge with a "V" divide between. The top rail of the chair back of both types is firmly secured to the back posts. Back rails are curved to fit the body.

On chairs having arm rests, the rests are solidly anchored to the back posts and arm pillars.

On Sjöström Swivel Chairs, the wood base feet are $1\frac{3}{4}$ " in finished thickness and are securely fitted to the combination wood and metal hub of the swivel unit with heavy screws. On low swivel chairs, the base feet are provided with moulded plastic scuff plates and soft tread, ball-bearing casters. On the high swivel chairs, the base feet have a circular footrest securely fastened at the proper height. The seats of all swivel chairs are equipped with a tongued rubber bumper on the front edge and carried well around the front corners.

The swivel and tilting mechanism for all swivel chairs is an improved, half threaded stem, ball-bearing type which provides for fixed height adjustment by means of a self-locking, gnarled hand wheel. The mechanism is equipped with a shock cushion and safety device.

All joints are mortised, tenoned and dowelled and are held with concealed screws wherever possible. Any exposed screws are countersunk and are inconspicuously plugged flush. Exposed corners and edges are rounded to prevent chipping. All styles are available with upholstered backs at additional cost.

Sjöström Library Chairs are finished similar to all other NEW LIFE units.

Sjöström Library Chairs

No. 161, Na. 164, No. 264 READING CHAIRS

No. 161a, No. 164a, Na. 264a READING ARM CHAIRS

No. 161b, No. 164b, No 264b HIGH SWIVEL CHAIRS

No. 161c, No. 164c, Na. 264c LOW SWIVEL CHAIRS

No. 161d, No. 164d, No. 264d SWIVEL ARM CHAIRS

A wide variety of upholstered chairs is avoilable. Specifications upon request. The suffix "X", as in 161x, signifies that chair has an upholstered back.

Na. 264a, READING ARM CHAIR. Unless otherwise specified, this chair is supplied in 18" seat heights. This type is particularly well suited for use with Freeline Tables since the arms will fit under the table top.

Na. 264c, SWIVEL CHAIR. This chair has the same seat as the Na. 264 chair. It is supplied in 18" seat height.

> Na. 264d, SWIVEL ARM CHAIR. This chair has the same seat as the No. 264a chair. It is 18" in seat height.



ter. Also available is the Na. 165a, nonadjustable swivel stool which is 18" high.

> Na. 167, STOOL. This is 24" high. Na. 167a, STOOL. This is 18" high.

Na. 165, CHARGING DESK SWIVEL STOOL. Adjusts from 27" ta 29" high. The base of this staol is similar to the base of the other swivel chairs except that it has na tilting mechanism. The seat measures 14" in diame-



Na. 161x and Na. 164ax, UP-HOLSTERED-BACK CHAIRS. All New Life chairs are available with uphalstered back as shown an samples at right. Tap grain leather is used.

Na. 264b, HIGH SWIVEL CHAIR. The high swivel chair has the same seat as the regular reading chairs. A circular foot rest is pravided as shown.









A-TYPE EASY CHAIR. With seat and back malded to conform with the contours of the human body, this chair is o classic. It is clean and crisp in design and exceptionally comfortable.



Lounge Area Turniture



B-TYPE EASY CHAIR. This chair is uphalstered with foam rubber under nougohyde. Expased wood parts are birch or maple.

No. MA408, SOFA. This sofo is 48" long x 29" high. Seat is 21½" deep. If desired, the sofa can be furnished without arms. Fabric cover on foam rubber fill.

No. 200, MAGAZINE TABLE. This toble is 40" x 24" x 17" high. The beauty of this design lies in its simplicity. It complements every other piece in the area—no motter where lacated. Other types include the No. 201 Squore Table, 27" x 27" x 17" high, and the No. 202 Round Table, 36" diameter x 17" high. Stainless steel ferrules furnished on all round legs.




Na. 202

Libraries are rapidly losing their regimented cafeteria look. One of the means which provide pleasant, comfortable atmosphere is the lounge area. This area is appropriately called the oasis. The oasis, furnished with upholstered easy chairs, is finding its proper place in libraries large and small.

The LIFE-LIKE model photos, 1 to 4 at right, show typical areas we normally plan into libraries, according to relative needs and space allowed.

A few easy chairs near the entrance make any library more inviting. A great variety of styles and fabrics are available on request.








miscellaneous library units

29" wide x 36" high. The exhibit section is 9" high. For case with square legs specify S-289-1.

Exhibit Cases

In most instances, the items pictured on this and following pages were developed to keep pace with the function of the library as an active part of the educational system and an adjunct to modern teaching methods. Most of these items will meet your requirements. Should they not, however, our designers will work with you in creating new units.

The exhibit cases shown are available with either strate legs or with round, splayed, FREELINE style legs. The No. 189-10 is only available as illustrated.



No. 189-10, WALL
DISPLAY CASE. This

case is 42" wide x
15¾" deep x 78" high.

The exhibit portion is
57½" high.

This LIFE-LIKE photo shows a typical arrangement of exhibit cases.






No. 217, SLOPED TOP TABLE AND No. 218, BENCH. Primarily far juvenile use, this table is 79" lang x 22" wide x 32" high at the rear. The table has a retaining strip at the front. The bench is 67" lang x 14" wide x 15" high.

No. C282, MICOLOR MULTI-LEVEL CIRCULATION DESK. The desk wing is 66" lang x 32" wide x 29" high with MICOLOR tap. The shelving wing is 66" lang x 12" wide x 40" high. The upper shelf area and twa lawer interiar shelves are apen. The cabinet an the exterior side is clased with sliding daars.

No. 291-30RS, RANCHER REFER-ENCE UNIT. This is a cambinatian unit consisting af a 30 drawer card catalag, auxiliary shelving, and a counter-height reference table, 68" lang x 31" wide x 42" high. The top shown is linaleum. Rubbed maple tap and MICOLOR are also available.





Available, But Not Illustrated

No. C217, MICOLOR SLOPED TOP TABLE. This unit is similar to the No. 217 except that it has a MICOLOR tap.

No. 217a, DOUBLE SLOPED TOP TABLE. Similar in construction to the No. 217, this juvenile unit has a double top and is 79'' long x 34'' wide x 31'' high.

No. C217a, MICOLOR DOUBLE-SLOPED TOP TABLE. This unit is similar to the No. 217a except that it has a MICOLOR slaped tap.

No. 282, MULTI-LEVEL CIRCULATION DESK. This unit is similar to the Na. C282 Unit except that it has a linaleum rather than a MICOLOR tap.

No. C291-30RS, MICOLOR RANCHER REFERENCE UNIT. This unit is the same as the No. 291-30RS except that it has a MICOLOR top.



PICTURE BOOK SHELVING. Designed for the very young people's area, this shelving is available in two heights and is designed to intermember with standard 12" depth shelving. Medium Height Shelving is 5'-01/2" high x 36" in width and has two odjustable shelves.

No. 130P, Initial Unit, 12" deep No. 131P, Additional Unit, 12" deep

Counter Height Shelving is 3'-6" high x 36" in width and hos one adjustable shelf.

No. 144P, Initial Unit, 12" deep
No. 145P, Additional Unit, 12" deep

Picture Baok and Record Shelving Units are available in dauble face measuring 24" and 32", respectively in overall depth. All double shelving is identified by prefixing "D" to the shelving style desired.

Special Shelving Units

RECORD SHELVING is pravided far audio-areas ond listening rooms. Its canstruction is similar to standard baak shelving except it has a depth of 16" to allow ample space for albums.

High Shelving is 6'-10'' high x 36'' in width and has faur adjustoble shelves.

No. 124R, Initial Unit, 16'' deep No. 125R, Additional Unit, 16'' deep


Medium Height Shelving is $5'-0\frac{1}{2}''$ high x 36'' in width and hos two adjustable shelves.


No. 130R, Initial Unit, 16" deep No. 131R, Additional Unit, 16" deep

Caunter Height Shelving is 3'-6" high x 36" in width ond hos ane odjustable shelf.

No. 144R, Initial Unit, 16'' deep
No. 145R, Additional Unit, 16'' deep







INSTALLATIONS by



Sjöström "New Life" Library Furniture is installed in all types of institutions—schools, universities, public libraries, hospitals, and industrial firms—throughout the United States and in Alaska, Hawaii, and Central and South America. Sjöström authorized distributors are experienced and completely familiar with library requirements. They are ready to serve you in any way, at any time.

Below: Deerpath School Lake Forest, Illinois



Above: Lower Merion High School Ardmore, Pennsylvania





Right: Reoding Room El Comino Junior College El Comino, Californio



Right: Monhosset Public Librory Long Island, N. Y.



Below: Reoding Room Borrington High School Borrington, Illinois



Left: New York City Public Librory, New York City, N. Y.







Abave: The Mercantile Library, Philadelphia, Pa. shawing reading areas and twa levels. Below: Abingtan Seniar High Schaal, Abingtan, Pa.




I N D E X

Atlas Case, No. 276	Installations by New Life32-34
Bench, No. 218	Juvenile Reading Tables, MICOLOR,
Book Display Rack, No. 277	No. C200 Series
Book Display Rack, Portable, No. 178 20	Juvenile Slope Top Tables, No. 217 and 217a 29
Book Trucks, All Types	Juvenile Reading Tables, No. 200 Series22-24
Book Truck Port9	Librarian's Desk, No. 182
Bulletin Boards, Wall or Freestanding Types 19	Lounge Area Furniture 27
Catalog Card Files, All Types, No. 191 Series 10-11	Magazine Racks, No. 271 and 272 18
Catalog Card File and Storage Unit, Juvenile,	Magazine Rack, Adjustable, No. 272a 18
No. 291-15R 10	Magazine Tables, Low, Nos. 200, 201 and 202 27
Catalog Reference Tables, Nos. 215a and 215b 31	Museum Case, No. 289-1 28
Carrel, Table Type, No. 216 Series	Newspaper Rack, No. 270a 18
Chairs, Library, All Types, No. 264, 161 and	Photo Charging Unit, No. 159 9
164 Series25-26	Pedestal Tables, Nos. 215-10 and 215-12 31
Charge Truck, No. 183	Picture Book Shelving 30
Charging Desk Assemblies and Units, Nos. 150-159	Planning Service
Charging Desk, Small, No. 182	Rancher Reference Unit,
Charging Desk, Small, Individual, No. 188 31	No. 291-30RS
Charging Machine Unit, No. 159a 9	Record Shelving
Depressable Book Truck, No. 174d	Shelving, All Types
Desk, Conference, No. 186	Shelving for Picture Books and Records
Desks, Administrative, Nos. 182, 184 and 18512-13	Slope Top Tables, Juvenile
Desk, Multi-Level Circulation, No. C282 29	Specifications, General5-6
Dictionary Stands, No. 275, and Revolving,	Stools, Nos. 179, 179a
No. 181 19	Stool, Swivel, No. 165
Display Case, Wall Type, No. 189-10 28	Study Tables, All Types23-24
Exhibit Case, Table Type, No. 289-1	Tables, FREELINE, No. 200 Series21-23
Files, Card Catalog and Component Parts, No. 190 Series	Tables, FREELINE, No. S-200 Series, Square Leg 23 Tables, MICOLOR, No. C200 Series
Files, Steel, Letter and Legal Sizes,	Table, Catalog Reference, No. 215a, 215b 31
Nos. 192-19714	Table, Index, No. 219
Files, Wood, Letter and Legal Sizes,	Table, with Sloped Top, No. 217
Nos. 192w-197w	Table, Pedestal Type, No. 215
Files, Legal Size, with Card Catalog File,	Typing Stand, No. 185a
No. 291-15A	Wastebasket, No. 180
Index Table, No. 219	Work Room Unit. No. 187



JOHN E. SJÖSTRÖM COMPANY • 1717 N. TENTH STREET • PHILADELPHIA 22, PENNSYLVANIA







SJÖSTRÖM USA

JOHN E. SJÖSTRÖM COMPANY, INC., 1717 NORTH TENTH STREET, PHILADELPHIA 22, PA.